

Ceramic and glass-ceramic wasteforms for actinide disposition

Shi-Kuan Sun, Martin Stennett and Neil Hyatt

*Immobilisation Science Laboratory,
Department of Materials Science and Engineering,
The University of Sheffield*



DISTINCTIVE - 2nd Annual Meeting
Tuesday 19th April
Bristol, UK



DISTINCTIVE

Actinide Host-Phases



Nuclear industry



High-level waste (HLW)



89 Ac	90 Th	91 Pa	92 U	93 Np
94 Pu	95 Am	96 Cm	97 Bk	98 Cf
99 Es	100 Fm	101 Md	102 No	103 Lr

Actinide

- ~ 5 tPu unsuitable for reuse
- ~ 180,000 tU UK-owned DNLEU



Immobilisation



Wasteform:

- ☐ Ceramic
- ☐ Glass-ceramic

Pyrochlore ceramics


Minerals: Nature's wasteforms

Retains actinides over geological timescales

Parent formula: $A_2B_2O_7$

Coordination
Number = $\begin{matrix} \text{red line} & \text{blue line} \\ 8 & 6 \end{matrix}$

Pyrochlore: $(Y, Na, Ca, U)_2(Nb, Ta, Ti)_2O_7$



Chemical durability and radiation tolerance. [1,2]

Wasteform formulation


Ce-pyrochlore: $CaCeTi_2O_7$

Ce: Surrogate for Pu
 Ce^{4+} (0.97 Å, CN = 8) vs.
 Pu^{4+} (0.96 Å, CN = 8)

U-Betafite: $CaUTi_2O_7$

Pyrochlore
 U_3O_8 loading (35 wt% and 45 wt%)
Metallic addition

Experimental - Cerium pyrochlore



Targeting the single phase of cerium pyrochlore

- ✓ Phase assemblage (XRD/QPA)
- ✓ Chemical composition (EDS/XRF)
- ✓ Crystal structure (ND)
- ✓ Oxidation state of Ce (XANES)

XRD: X-ray diffraction

QPA: Quantitative phase analysis

EDS: Energy-dispersive X-ray spectroscopy

XRF: X-ray fluorescence


ND: Neutron diffraction

XANES: X-ray absorption near edge structure



DISTINCTIVE

Experimental - Uranium betafite




Label	Nominal	U_3O_8 /Buffer Loading (wt%)
U35	$\text{Ca}_{0.96}\text{U}_{0.482}\text{Zr}_{0.177}\text{Ti}_{2.203}\text{O}_7$	35/-
U45	$\text{Ca}_{0.872}\text{U}_{0.669}\text{Zr}_{0.161}\text{Ti}_{2.01}\text{O}_7$	45/-
U45Fe	$\text{Ca}_{0.872}\text{U}_{0.669}\text{Zr}_{0.161}\text{Ti}_{2.01}\text{O}_7\text{-Fe}$	40.5/10
U45Ni	$\text{Ca}_{0.872}\text{U}_{0.669}\text{Zr}_{0.161}\text{Ti}_{2.01}\text{O}_7\text{-Ni}$	40.5/10

- ✓ Phase assemblage
- ✓ Densification
- ✓ Chemical composition
- ✓ Quantitative phase analysis (QPA)
- ✓ Oxidation state of U


Ce-pyrochlore: Phase assemblage

$\text{CaCeTi}_2\text{O}_7$ product starting from the stoichiometric ratio

Ce-pyrochlore
Impurity:
Perovskite, CeO_2



$\text{CaCeTi}_2\text{O}_7$ pyrochlore was stabilised for Ca deficient stoichiometry [Ref. 1]




A careful study of pyrochlore synthesis was performed involving Ca deficiency with an excess of Ti.

Ce-pyrochlore: Starting composition

Composition	Labels
Ca1.00Ce1.00Ti2O7	227
Ca0.93Ce1.00Ti2.04O7	a
Ca0.86Ce1.05Ti2.02O7	b
Ca0.73Ce1.06Ti2.08O7	c
Ca0.79Ce1.05Ti2.06O7	d
Ca0.67Ce1.07Ti2.10O7	e
Ca0.69Ce1.03Ti2.12O7	f
Ca0.71Ce0.98Ti2.17O7	g
Ca0.67Ce1.07Ti2.07O7	h
Ca0.68Ce1.09Ti2.07O7	i
Ca0.68Ce1.06Ti2.10O7	j
Ca0.69Ce1.10Ti2.06O7	k
Ca0.70Ce1.05Ti2.10O7	l
Ca0.64Ce1.07Ti2.11O7	m
Ca0.61Ce1.08Ti2.12O7	n
Ca0.70Ce1.12Ti2.04O7	o
Ca0.71Ce1.12Ti2.02O7	p
Ca0.65Ce1.10Ti2.08O7	q


Deficient
Ca

Excess Ti



DISTINCTIVE


Ce-pyrochlore: Phase assemblage




The intensity of the impurity peaks decreased.

A nearly single phase was prepared.

- ◆ Perovskite
- Cerianite
- △ Rutile



Ce-pyrochlore: Rietveld quantitation refinement



The weight fraction, W_i , can be calculated

$$W_i = \frac{S_i M_i V_i}{\sum_j S_j M_j V_j}$$

S: scale factor

M: unit cell mass

V: unit cell volume


Pyrochlore	96.11 wt%
CeO_2	-
Perovskite	2.61 wt%
TiO_2	1.27 wt%

Ce-pyrochlore: Pyrochlore content

Labels	Pyrochlore	Impurity	Labels	Pyrochlore	Impurity
227	58.04%	P, C, T	<i>i</i>	98.09%	T
<i>a</i>	51.68%	P, C, T	<i>j</i>	97.26%	P, T
<i>b</i>	62.02%	P, C, T	<i>k</i>	99.02%	P, T
<i>c</i>	96.11%	P, T	<i>l</i>	91.21%	P, T
<i>d</i>	93.78%	P, T	<i>m</i>	95.41%	T
<i>e</i>	96.42%	P, T	<i>n</i>	94.38%	T
<i>f</i>	93.30%	P, T	<i>o</i>	97.70%	P
<i>g</i>	86.98%	P, T	<i>p</i>	96.69%	P, C
<i>h</i>	96.04%	T	<i>q</i>	96.97%	T
P: Perovskite; C: CeO ₂ ; T: TiO ₂ .					

Sample *n*
(Ca_{0.61}Ce_{1.08}Ti_{2.12}O₇)
with only TiO₂ impurity
was selected for
further investigation.

Ce-pyrochlore: Phase diagram



- Absence of CeO_2
- Absence of Perovskite
- $\text{Ca}_{0.670 \pm 0.034} \text{Ce}_{1.128 \pm 0.020} \text{Ti}_{2.194 \pm 0.034} \text{O}_{7 \pm x}$

Ce-pyrochlore: Structural refinement




Table Refined structural parameters

Space group: <i>Fd-3m</i> $a = 10.1462(4) \text{ \AA}$					
Atom	Site	x	y	z	$U_{\text{iso}} \times 100(\text{\AA}^2)$
Ca	16d	0.5	0.5	0.5	0.532
Ce	16d	0.5	0.5	0.5	0.532
Ti	16d	0.5	0.5	0.5	0.532
Ti	16c	0	0	0	0.859
O	48f	0.3267	0.125	0.125	1.333
O	8b	0.375	0.375	0.375	1.482
Powder statistics: $\chi^2 = 2.428$ $R_{\text{wp}} = 5.48\%$, $R_p = 4.41\%$					


A site deficiency

B cation substitution on to the A cation lattice

Starting composition:





EDS composition:




the **first** reliable structure determination on ND data of Ce-pyrochlore

Ce-pyrochlore: Electron diffraction



[112] and [114] zone axis diffraction patterns acquired from sample n ($\text{Ca}_{0.61}\text{Ce}_{1.08}\text{Ti}_{2.12}\text{O}_7$)

Ce-pyrochlore: Oxidation state




Ce^{4+} with CN = 8 was the dominant species in Ce-pyrochlore phase.

Linear combination fitting¹

Standard	CeO_2	CePO_4
	Ce^{4+}	Ce^{3+}
Weight fraction	89.8	10.2
$R = 0.0104$ $\chi^2 = 0.0037$		

3.9 v.u

U-betafite: Phase assemblage




XRD patterns of the product after sintering of (a) U35, (b) U45, (c) U45Fe and (d) U45Ni.

No free U-oxides detected

A high betafite yield at relatively low temperature (1320°C) in contrast to previous studies (< 75 wt% at 1450°C, [Ref. 3](#))

Sample	Betafite phase
	Weight fraction (wt%) ²
U35	84.80 ± 0.24%
U45	94.38 ± 0.07%
U45Fe	86.42 ± 0.11%
U45Ni	85.82 ± 0.11%

U-betafite: Densification



Near fully-densification.

Pure betafite phase but with significant porosity (RD \approx 80%).¹

High sinterability.

Conclusion

- An almost single phase Ce pyrochlore was synthesised and the first reliable structure determination was made.
- The betafite phase was obtained in high yield (> 85%); all U_3O_8 was incorporated into the ceramic host phase.

Acknowledgements



DISTINCTIVE

Decommissioning, Immobilisation and Storage
soluTions for NuClear wasTe InVenories



The
University
Of
Sheffield.



Immobilisation Science Laboratory

EPSRC

Engineering and Physical Sciences
Research Council

EP/L014041/1

midas

Materials for Innovative Disposition from Advanced Separations
support from the Department for Energy and Climate Change



Dr. Ewan Maddrell (NNL)
Dr. Craig Brown (NIST)
Dr. Martin Stennett
Dr. Claire Corkhill
Prof. Neil Hyatt



DISTINCTIVE

Thank you!

